



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50206010-005



**Production Method:** Other - Not Listed  
**Harvest/Lot ID:** FSVOGK1425  
**Batch#:** FSVOGK1425  
**Harvest Date:** 02/10/25  
**Sample Size Received:** 2 units  
**Total Amount:** 2 ml  
**Retail Product Size:** 2 ml  
**Retail Serving Size:** 2 ml  
**Servings:** 1  
**Sample Density:** 1.0 g/mL  
**Ordered:** 02/04/25  
**Sampled:** 02/06/25  
**Completed:** 02/08/25  
**Sampling Method:** SOP.T.20.010.FL

Feb 08, 2025 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US




**PASSED**

Pages 1 of 1

### SAFETY RESULTS

 Pesticides NOT TESTED	 Heavy Metals NOT TESTED	 Microbials NOT TESTED	 Mycotoxins NOT TESTED	 Residuals Solvents NOT TESTED	 Filtration NOT TESTED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED
--	--	--	--	--	---	--	--	--

### Cannabinoid PASSED



**Analyzed by:** 3335, 1665, 3379, 1440      **Weight:** 0.1099g      **Extraction date:** 02/07/25 12:00:29      **Extracted by:** 3335  
**Analysis Method:** SOP.T.40.031, SOP.T.30.031      **Batch Date:** 02/07/25 09:19:08  
**Analytical Batch:** DA083081POT  
**Instrument Used:** DA-LC-003  
**Analyzed Date:** 02/08/25 19:36:46  
**Dilution:** 400  
**Reagent:** 011325.R06; 010825.48; 011325.R03  
**Consumables:** 947.110; 04312111; 040724CH01; 0000355309  
**Pipette:** DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 02/08/25