



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Gummy Worms Special, 44mg CBD per 11g
 Matrix: Edible

Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

COMPLIANCE FOR RETAIL

Sample: DA40111012-001
 Harvest/Lot ID: GWS1424
 Batch#: GWS1424
 Sample Size Received: 80 gram
 Total Amount: 80 gram
 Retail Product Size: 11 gram
 Ordered: 01/09/24
 Sampled: 01/11/24
 Completed: 01/15/24
 Sampling Method: SOP.T.20.010.FL











PASSED

Jan 15, 2024 | HIGH ROLLER PRIVATE LABEL LLC


4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US



Pages 1 of 5

PRODUCT IMAGE	SAFETY RESULTS								MISC.
	 Pesticides PASSED	 Heavy Metals PASSED	 Microbials PASSED	 Mycotoxins PASSED	 Residuals Solvents PASSED	 Filtration PASSED	 Water Activity NOT TESTED	 Moisture NOT TESTED	 Terpenes NOT TESTED

Cannabinoid **PASSED**



Analyzed by: 1665, 585, 1440 Weight: 11.749g Extraction date: 01/12/24 12:25:01 Extracted by: 3702,3335

Analysis Method : SOP.T.40.031, SOP.T.30.031 Reviewed On : 01/14/24 17:11:36
 Analytical Batch : DA068227POT Batch Date : 01/12/24 08:25:19
 Instrument Used : DA-LC-007
 Analyzed Date : 01/12/24 12:29:28

Dilution : 40
 Reagent : 010224.R05; 060723.24; 010224.R04
 Consumables : 947.109; 280670723; CE0123; R1KB14270
 Pipette : DA-079; DA-108; DA-078

Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164


 Signature
 01/15/24



Certificate of Analysis

PASSED


HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA40111012-001
Harvest/Lot ID: GWS1424
Batch# : GWS1424
Sampled : 01/11/24
Ordered : 01/11/24

Sample Size Received : 80 gram
Total Amount : 80 gram
Completed : 01/15/24 Expires: 01/15/25
Sample Method : SOP Client Method

Page 2 of 5



Pesticides

PASSED

Pesticide	LOD	Units	Action Level	Pass/Fail	Result	Pesticide	LOD	Units	Action Level	Pass/Fail	Result
TOTAL CONTAMINANT LOAD (PESTICIDES)	0.010	ppm	30	PASS	ND	OXAMYL	0.010	ppm	0.5	PASS	ND
TOTAL DIMETHOMORPH	0.010	ppm	3	PASS	ND	PACLOBUTRAZOL	0.010	ppm	0.1	PASS	ND
TOTAL PERMETHRIN	0.010	ppm	1	PASS	ND	PHOSMET	0.010	ppm	0.2	PASS	ND
TOTAL PYRETHRINS	0.010	ppm	1	PASS	ND	PIPERONYL BUTOXIDE	0.010	ppm	3	PASS	ND
TOTAL SPINETORAM	0.010	ppm	3	PASS	ND	PRALLETHRIN	0.010	ppm	0.4	PASS	ND
TOTAL SPINOSAD	0.010	ppm	3	PASS	ND	PROPICONAZOLE	0.010	ppm	1	PASS	ND
ABAMECTIN B1A	0.010	ppm	0.3	PASS	ND	PROPOXUR	0.010	ppm	0.1	PASS	ND
ACEPHATE	0.010	ppm	3	PASS	ND	PYRETHRIN I	0.010	ppm	1	PASS	ND
ACEQUINOCYL	0.010	ppm	2	PASS	ND	PYRETHRIN II	0.010	ppm	1	PASS	ND
ACETAMIPRID	0.010	ppm	3	PASS	ND	PYRIDABEN	0.010	ppm	3	PASS	ND
ALDICARB	0.010	ppm	0.1	PASS	ND	SPIROMESIFEN	0.010	ppm	3	PASS	ND
AZOXYSTROBIN	0.010	ppm	3	PASS	ND	SPIROXAMINE	0.010	ppm	3	PASS	ND
BIFENAZATE	0.010	ppm	3	PASS	ND	TEBUCONAZOLE	0.010	ppm	1	PASS	ND
BIFENTHRIN	0.010	ppm	0.5	PASS	ND	THIACLOPRID	0.010	ppm	0.1	PASS	ND
BOSCALID	0.010	ppm	3	PASS	ND	THIAMETHOXAM	0.010	ppm	1	PASS	ND
CARBARYL	0.010	ppm	0.5	PASS	ND	TRIFLOXYSTROBIN	0.010	ppm	3	PASS	ND
CARBOFURAN	0.010	ppm	0.1	PASS	ND	PENTACHLORONITROBENZENE (PCNB) *	0.010	PPM	0.2	PASS	ND
CHLORANTRANILIPROLE	0.010	ppm	3	PASS	ND	PARATHION-METHYL *	0.010	PPM	0.1	PASS	ND
CHLORMEQUAT CHLORIDE	0.010	ppm	3	PASS	ND	CAPTAN *	0.070	PPM	3	PASS	ND
CHLORPYRIFOS	0.010	ppm	0.1	PASS	ND	CHLORDANE *	0.010	PPM	0.1	PASS	ND
CLOFENTEZINE	0.010	ppm	0.5	PASS	ND	CHLORFENAPYR *	0.010	PPM	0.1	PASS	ND
COUMAPHOS	0.010	ppm	0.1	PASS	ND	CYFLUTHRIN *	0.050	PPM	1	PASS	ND
DAMINOZIDE	0.010	ppm	0.1	PASS	ND	CYPERMETHRIN *	0.050	PPM	1	PASS	ND
DIAZINON	0.010	ppm	3	PASS	ND						
DICHLORVOS	0.010	ppm	0.1	PASS	ND	Analyzed by: 3379, 585, 1440	Weight: 1.107g	Extraction date: 01/12/24 14:30:03	Extracted by: 3379		
DIMETHOATE	0.010	ppm	0.1	PASS	ND	Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.101.FL (Gainesville), SOP.T.40.102.FL (Davie)					
ETHOPROPHOS	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068243PES					
ETOFENPROX	0.010	ppm	0.1	PASS	ND	Instrument Used : DA-LCMS-003 (PES)					
ETOXAZOLE	0.010	ppm	1.5	PASS	ND	Analyzed Date : 01/12/24 14:33:51					
FENHEXAMID	0.010	ppm	3	PASS	ND	Dilution : 250					
FENOXYCARB	0.010	ppm	0.1	PASS	ND	Reagent : 011024.R03; 040423.08; 010924.R01; 011024.R02; 010824.R01; 011024.R01; 011024.R04					
FENPYROXIMATE	0.010	ppm	2	PASS	ND	Consumables : 326250IW					
FIPRONIL	0.010	ppm	0.1	PASS	ND	Pipette : DA-093; DA-094; DA-219					
FLONICAMID	0.010	ppm	2	PASS	ND	Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
FLUDIOXONIL	0.010	ppm	3	PASS	ND	Analyzed by: 450, 585, 1440	Weight: 1.107g	Extraction date: 01/12/24 14:30:03	Extracted by: 3379		
HEXYTHIAZOX	0.010	ppm	2	PASS	ND	Analysis Method : SOP.T.30.151.FL (Gainesville), SOP.T.30.151A.FL (Davie), SOP.T.40.151.FL					
IMAZALIL	0.010	ppm	0.1	PASS	ND	Analytical Batch : DA068245VOL					
IMIDACLOPRID	0.010	ppm	3	PASS	ND	Instrument Used : DA-GCMS-010					
KRESOXIM-METHYL	0.010	ppm	1	PASS	ND	Analyzed Date : N/A					
MALATHION	0.010	ppm	2	PASS	ND	Dilution : 250					
METALAXYL	0.010	ppm	3	PASS	ND	Reagent : 011024.R03; 040423.08; 121423.R01; 010524.R01					
METHIOCARB	0.010	ppm	0.1	PASS	ND	Consumables : 326250IW; 14725401					
METHOMYL	0.010	ppm	0.1	PASS	ND	Pipette : DA-080; DA-146; DA-218					
MEVINPHOS	0.010	ppm	0.1	PASS	ND	Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.					
MYCLOBUTANIL	0.010	ppm	3	PASS	ND						
NALED	0.010	ppm	0.5	PASS	ND						

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
Lab Director

State License # CMTL-0002
ISO 17025 Accreditation # ISO/IEC
17025:2017 Accreditation PJLA-
Testing 97164

Signature
01/15/24



Certificate of Analysis

PASSED


HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA40111012-001
Harvest/Lot ID: GWS1424
Batch# : GWS1424
Sampled : 01/11/24
Ordered : 01/11/24

Sample Size Received : 80 gram
Total Amount : 80 gram
Completed : 01/15/24 Expires: 01/15/25
Sample Method : SOP Client Method

Page 3 of 5



Residual Solvents

PASSED

Solvents	LOD	Units	Action Level	Pass/Fail	Result
1,1-DICHLOROETHENE	0.800	ppm	8	PASS	ND
1,2-DICHLOROETHANE	0.200	ppm	5	PASS	ND
ACETONE	75.000	ppm	5000	PASS	ND
DICHLOROMETHANE	12.500	ppm	600	PASS	ND
BENZENE	0.100	ppm	2	PASS	ND
2-PROPANOL	50.000	ppm	500	PASS	ND
CHLOROFORM	0.200	ppm	60	PASS	ND
ETHANOL	500.000	ppm	5000	PASS	ND
ETHYL ACETATE	40.000	ppm	5000	PASS	ND
BUTANES (N-BUTANE)	500.000	ppm	2000	PASS	ND
ACETONITRILE	6.000	ppm	410	PASS	ND
ETHYL ETHER	50.000	ppm	5000	PASS	ND
ETHYLENE OXIDE	0.500	ppm	5	PASS	ND
HEPTANE	500.000	ppm	5000	PASS	ND
METHANOL	25.000	ppm	3000	PASS	ND
N-HEXANE	25.000	ppm	290	PASS	<125.000
PENTANES (N-PENTANE)	75.000	ppm	5000	PASS	ND
TOLUENE	15.000	ppm	890	PASS	ND
TOTAL XYLENES	15.000	ppm	150	PASS	ND
PROPANE	500.000	ppm	2100	PASS	ND
TRICHLOROETHYLENE	2.500	ppm	80	PASS	ND
XYLENES-M&P (1,3&1,4-DIMETHYLBENZENE)	27.000	ppm	2170	PASS	ND
XYLENES-O (1,2-DIMETHYLBENZENE)	13.500	ppm	2170	PASS	ND

Analyzed by: 585, 850, 1440	Weight: 0.0235g	Extraction date: 01/15/24 12:17:34	Extracted by: 850
--------------------------------	--------------------	---------------------------------------	----------------------

Analysis Method : SOP.T.40.041.FL
Analytical Batch : DA068270SOL
Instrument Used : DA-GCMS-002
Analyzed Date : 01/15/24 00:46:19

Reviewed On : 01/15/24 13:14:09
Batch Date : 01/12/24 13:49:34

Dilution : 1
Reagent : N/A
Consumables : R2017.167; G201.167
Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
HOLLYWOOD, FL, 33020, US
Telephone: (954) 505-4481
Email: admin@highrollerllc.com

Sample : DA40111012-001
Harvest/Lot ID: GWS1424
Batch# : GWS1424
Sampled : 01/11/24
Ordered : 01/11/24

Sample Size Received : 80 gram
Total Amount : 80 gram
Completed : 01/15/24 Expires: 01/15/25
Sample Method : SOP Client Method

Page 4 of 5

	Microbial	PASSED		Mycotoxins	PASSED
---	------------------	---------------	---	-------------------	---------------

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.1835g Extraction date: 01/12/24 11:26:23 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA068229MIC Reviewed On : 01/14/24 17:06:14 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 01/12/24 15:49:38 Dilution : N/A Reagent : 111623.06; 112423.R01; 081023.07; 091523.46; 100223.10 Consumables : 7559003055 Pipette : N/A					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
AFLATOXIN B2	0.002	ppm	ND	PASS	0.02
AFLATOXIN B1	0.002	ppm	ND	PASS	0.02
OCHRATOXIN A	0.002	ppm	ND	PASS	0.02
AFLATOXIN G1	0.002	ppm	ND	PASS	0.02
AFLATOXIN G2	0.002	ppm	ND	PASS	0.02
Analyzed by: 3379, 585, 1440 Weight: 1.107g Extraction date: 01/12/24 14:30:03 Extracted by: 3379 Analysis Method : SOP.T.30.101.FL (Gainesville), SOP.T.40.101.FL (Gainesville), SOP.T.30.102.FL (Davie), SOP.T.40.102.FL (Davie) Analytical Batch : DA068265MYC Reviewed On : 01/14/24 19:20:44 Instrument Used : N/A Batch Date : 01/12/24 12:39:50 Analyzed Date : 01/12/24 14:34:18 Dilution : 250 Reagent : 011024.R03; 040423.08; 010924.R01; 011024.R02; 010824.R01; 011024.R01; 011024.R04 Consumables : 326250IW Pipette : DA-093; DA-094; DA-219					

Analyte	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5
Analyzed by: 1022, 585, 1440 Weight: 0.2831g Extraction date: 01/12/24 12:51:24 Extracted by: 1022 Analysis Method : SOP.T.30.082.FL, SOP.T.40.082.FL Analytical Batch : DA068253HEA Reviewed On : 01/14/24 17:17:48 Instrument Used : DA-ICPMS-004 Batch Date : 01/12/24 10:30:22 Analyzed Date : 01/12/24 15:26:07 Dilution : 50 Reagent : 010824.R08; 010424.R18; 010824.R07; 010424.R16; 010424.R17; 122023.R43; 120623.R45 Consumables : 179436; A191022C; 210508058 Pipette : DA-061; DA-191; DA-216					

Mycotoxins testing utilizing Liquid Chromatography with Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

	Heavy Metals	PASSED
---	---------------------	---------------

Metal	LOD	Units	Result	Pass / Fail	Action Level
TOTAL CONTAMINANT LOAD METALS	0.080	ppm	ND	PASS	5
ARSENIC	0.020	ppm	ND	PASS	1.5
CADMIUM	0.020	ppm	ND	PASS	0.5
MERCURY	0.020	ppm	ND	PASS	3
LEAD	0.020	ppm	ND	PASS	0.5

Analyte	LOD	Units	Result	Pass / Fail	Action Level
ASPERGILLUS TERREUS			Not Present	PASS	
ASPERGILLUS NIGER			Not Present	PASS	
ASPERGILLUS FUMIGATUS			Not Present	PASS	
ASPERGILLUS FLAVUS			Not Present	PASS	
SALMONELLA SPECIFIC GENE			Not Present	PASS	
ECOLI SHIGELLA			Not Present	PASS	
TOTAL YEAST AND MOLD	10	CFU/g	<10	PASS	100000
Analyzed by: 3390, 3336, 585, 1440 Weight: 1.1835g Extraction date: 01/12/24 11:26:23 Extracted by: 3621 Analysis Method : SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL Analytical Batch : DA068229MIC Reviewed On : 01/14/24 17:06:14 Instrument Used : PathogenDx Scanner DA-111, Applied Biosystems Thermocycler DA-010, fisherbrand Isotemp Heat Block DA-020, fisherbrand Isotemp Heat Block DA-049, Fisher Scientific Isotemp Heat Block DA-021 Analyzed Date : 01/12/24 15:49:38 Dilution : N/A Reagent : 111623.06; 112423.R01; 081023.07; 091523.46; 100223.10 Consumables : 7559003055 Pipette : N/A					

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408
 DAVIE, FL, 33314, US
 (954) 368-7664

Kaycha Labs

Gummy Worms Special, 44mg CBD per 11g
 Matrix : Edible



Type: HEMP/CBD Florida - Food - Hemp rules for all products other than topical, flower, and suppositories.

Certificate of Analysis

PASSED

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY
 HOLLYWOOD, FL, 33020, US
 Telephone: (954) 505-4481
 Email: admin@highrollerllc.com

Sample : DA40111012-001
 Harvest/Lot ID: GWS1424
 Batch# : GWS1424
 Sampled : 01/11/24
 Ordered : 01/11/24

Sample Size Received : 80 gram
 Total Amount : 80 gram
 Completed : 01/15/24 Expires: 01/15/25
 Sample Method : SOP Client Method

Page 5 of 5

	Filth/Foreign Material	PASSED
--	-------------------------------	---------------

Analyte	LOD	Units	Result	P/F	Action Level
Filth and Foreign Material	0.100	%	ND	PASS	1

Analyzed by: 1879, 585, 1440	Weight: NA	Extraction date: N/A	Extracted by: N/A
---------------------------------	---------------	-------------------------	----------------------

Analysis Method : SOP.T.40.090
 Analytical Batch : DA068323FIL
 Instrument Used : Filth/Foreign Material Microscope
 Analyzed Date : 01/14/24 18:24:04
 Reviewed On : 01/14/24 18:34:44
 Batch Date : 01/14/24 17:47:21


Dilution : N/A
 Reagent : N/A
 Consumables : N/A
 Pipette : N/A

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Vivian Celestino
 Lab Director

State License # CMTL-0002
 ISO 17025 Accreditation # ISO/IEC
 17025:2017 Accreditation PJLA-
 Testing 97164



Signature
 01/15/24