



# Certificate of Analysis

## COMPLIANCE FOR RETAIL

Laboratory Sample ID: DA50213010-008



Production Method: Other - Not Listed

Harvest/Lot ID: EPR1425

Batch#: EPR1425

Harvest Date: 01/28/25

Sample Size Received: 150 gram

Total Amount: 150 gram

Retail Product Size: 7.5 gram

Retail Serving Size: 7.5 gram

Servings: 1

Ordered: 02/11/25

Sampled: 02/13/25

Completed: 02/18/25

Sampling Method: SOP.T.20.010.FL

Feb 18, 2025 | HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US



**PASSED**

Pages 1 of 5

### SAFETY RESULTS



Pesticides  
**PASSED**



Heavy Metals  
**PASSED**



Microbials  
**PASSED**



Mycotoxins  
**PASSED**



Residuals Solvents  
**PASSED**



Filtration  
**PASSED**



Water Activity  
**NOT TESTED**



Moisture  
**NOT TESTED**



Terpenes  
**NOT TESTED**

### MISC.



### Cannabinoid

**TESTED**



Total THC

**ND**

Total THC/Gummy : 0.000 mg



Total CBD

**0.365%**

Total CBD/Gummy : 27.375 mg



Total Cannabinoids

**0.367%**

Total Cannabinoids/Gummy : 27.525 mg

|      | D9-THC | THCA  | CBD   | CBDA  | D8-THC | CBG   | CBGA  | CBN   | THCV  | CBDV  | CBC   |
|------|--------|-------|-------|-------|--------|-------|-------|-------|-------|-------|-------|
| %    | ND     | ND    | 0.365 | ND    | ND     | ND    | ND    | ND    | ND    | 0.002 | ND    |
| mg/g | ND     | ND    | 3.65  | ND    | ND     | ND    | ND    | ND    | ND    | 0.02  | ND    |
| LOD  | 0.001  | 0.001 | 0.001 | 0.001 | 0.001  | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 | 0.001 |
| %    | %      | %     | %     | %     | %      | %     | %     | %     | %     | %     | %     |

Analyzed by:  
3335, 3605, 585, 1440

Weight:  
7.4274g

Extraction date:  
02/14/25 12:30:56

Extracted by:  
3335

Analysis Method : SOP.T.40.031, SOP.T.30.031  
Analytical Batch : DA083327POT  
Instrument Used : DA-LC-007  
Analyzed Date : 02/18/25 09:40:19

Batch Date : 02/14/25 09:37:13

Dilution : 40  
Reagent : 120324.07; 012825.R19; 090924.05; 011325.R09  
Consumables : 947.110; 04312111; 040724CH01; 0000355309  
Pipette : DA-079; DA-108; DA-078


Full Spectrum cannabinoid analysis utilizing High Performance Liquid Chromatography with UV detection in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**

Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
02/18/25



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC


Sample : DA50213010-008  
Harvest/Lot ID: EPR1425

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Batch # : EPR1425  
Sampled : 02/13/25  
Ordered : 02/13/25

Sample Size Received : 150 gram  
Total Amount : 150 gram  
Completed : 02/18/25 Expires: 02/18/26  
Sample Method : SOP Client Method

Page 2 of 5



## Pesticides

PASSED

| Pesticide                           | LOD   | Units | Action Level | Pass/Fail | Result | Pesticide   | LOD   | Units | Action Level | Pass/Fail | Result |
|-------------------------------------|-------|-------|--------------|-----------|--------|---|-------|-------|--------------|-----------|--------|
| TOTAL CONTAMINANT LOAD (PESTICIDES) | 0.010 | ppm   | 30           | PASS      | ND     | OXAMYL  | 0.010 | ppm   | 0.5          | PASS      | ND     |
| TOTAL DIMETHOMORPH                  | 0.010 | ppm   | 3            | PASS      | ND     | PACLOBUTRAZOL   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| TOTAL PERMETHRIN                    | 0.010 | ppm   | 1            | PASS      | ND     | PHOSMET   | 0.010 | ppm   | 0.2          | PASS      | ND     |
| TOTAL PYRETHRINS                    | 0.010 | ppm   | 1            | PASS      | ND     | PIPERONYL BUTOXIDE  | 0.010 | ppm   | 3            | PASS      | ND     |
| TOTAL SPINETORAM                    | 0.010 | ppm   | 3            | PASS      | ND     | PRALLETHRIN   | 0.010 | ppm   | 0.4          | PASS      | ND     |
| TOTAL SPINOSAD                      | 0.010 | ppm   | 3            | PASS      | ND     | PROPICONAZOLE   | 0.010 | ppm   | 1            | PASS      | ND     |
| ABAMECTIN B1A                       | 0.010 | ppm   | 0.3          | PASS      | ND     | PROPOXUR  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| ACEPHATE                            | 0.010 | ppm   | 3            | PASS      | ND     | PYRIDABEN   | 0.010 | ppm   | 3            | PASS      | ND     |
| ACEQUINOCYL                         | 0.010 | ppm   | 2            | PASS      | ND     | SPIROMESIFEN  | 0.010 | ppm   | 3            | PASS      | ND     |
| ACETAMIPRID                         | 0.010 | ppm   | 3            | PASS      | ND     | SPIROTETRAMAT   | 0.010 | ppm   | 3            | PASS      | ND     |
| ALDICARB                            | 0.010 | ppm   | 0.1          | PASS      | ND     | SPIROXAMINE   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| AZOXYSTROBIN                        | 0.010 | ppm   | 3            | PASS      | ND     | TEBUCONAZOLE  | 0.010 | ppm   | 1            | PASS      | ND     |
| BIFENAZATE                          | 0.010 | ppm   | 3            | PASS      | ND     | THIACLOPRID   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| BIFENTHRIN                          | 0.010 | ppm   | 0.5          | PASS      | ND     | THIAMETHOXAM  | 0.010 | ppm   | 1            | PASS      | ND     |
| BOSCALID                            | 0.010 | ppm   | 3            | PASS      | ND     | TRIFLOXYSTROBIN   | 0.010 | ppm   | 3            | PASS      | ND     |
| CARBARYL                            | 0.010 | ppm   | 0.5          | PASS      | ND     | PENTACHLORONITROBENZENE (PCNB) *  | 0.010 | ppm   | 0.2          | PASS      | ND     |
| CARBOFURAN                          | 0.010 | ppm   | 0.1          | PASS      | ND     | PARATHION-METHYL *  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CHLORANTRILIPROLE                   | 0.010 | ppm   | 3            | PASS      | ND     | CAPTAN *  | 0.070 | ppm   | 3            | PASS      | ND     |
| CHLORMEQUAT CHLORIDE                | 0.010 | ppm   | 3            | PASS      | ND     | CHLORDANE *   | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CHLORPYRIFOS                        | 0.010 | ppm   | 0.1          | PASS      | ND     | CHLORFENAPYR *  | 0.010 | ppm   | 0.1          | PASS      | ND     |
| CLOFENTEZINE                        | 0.010 | ppm   | 0.5          | PASS      | ND     | CYFLUTHRIN *  | 0.050 | ppm   | 1            | PASS      | ND     |
| COUMAPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     | CYPERMETHRIN *  | 0.050 | ppm   | 1            | PASS      | ND     |
| DAMINOZIDE                          | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| DIAZINON                            | 0.010 | ppm   | 3            | PASS      | ND     | <b>Analyzed by:</b> 3621, 585, 1440 <b>Weight:</b> 0.9747g <b>Extraction date:</b> 02/14/25 12:50:55 <b>Extracted by:</b> 3621<br><b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL<br><b>Analytical Batch :</b> DA083341PES<br><b>Instrument Used :</b> DA-LCMS-004 (PES) <b>Batch Date :</b> 02/14/25 10:21:25<br><b>Analyzed Date :</b> 02/17/25 12:14:30<br><b>Dilution :</b> 250<br><b>Reagent :</b> 021125.R01; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01<br><b>Consumables :</b> 221021DD<br><b>Pipette :</b> DA-093; DA-094; DA-219<br>Testing for agricultural agents is performed utilizing Liquid Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39. |       |       |              |           |        |
| DICHLORVOS                          | 0.010 | ppm   | 0.1          | PASS      | ND     | <b>Analyzed by:</b> 450, 585, 1440 <b>Weight:</b> 0.9747g <b>Extraction date:</b> 02/14/25 12:50:55 <b>Extracted by:</b> 3621<br><b>Analysis Method :</b> SOP.T.30.151A.FL, SOP.T.40.151.FL<br><b>Analytical Batch :</b> DA083343VOL<br><b>Instrument Used :</b> DA-GCMS-011 <b>Batch Date :</b> 02/14/25 10:23:03<br><b>Analyzed Date :</b> 02/17/25 12:12:51<br><b>Dilution :</b> 250<br><b>Reagent :</b> 021325.R14; 081023.01; 012825.R39; 012825.R40<br><b>Consumables :</b> 221021DD; 040724CH01; 17473601<br><b>Pipette :</b> DA-080; DA-146; DA-218<br>Testing for agricultural agents is performed utilizing Gas Chromatography Triple-Quadrupole Mass Spectrometry in accordance with F.S. Rule 64ER20-39.                        |       |       |              |           |        |
| ETHOPROPHOS                         | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| ETOFENPROX                          | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| ETOXAZOLE                           | 0.010 | ppm   | 1.5          | PASS      | ND     |   |       |       |              |           |        |
| FENHEXAMID                          | 0.010 | ppm   | 3            | PASS      | ND     |   |       |       |              |           |        |
| FENOXYCARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| FENPYROXIMATE                       | 0.010 | ppm   | 2            | PASS      | ND     |   |       |       |              |           |        |
| FIPRONIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| FLONICAMID                          | 0.010 | ppm   | 2            | PASS      | ND     |   |       |       |              |           |        |
| FLUDIOXONIL                         | 0.010 | ppm   | 3            | PASS      | ND     |   |       |       |              |           |        |
| HEXYTHIAZOX                         | 0.010 | ppm   | 2            | PASS      | ND     |   |       |       |              |           |        |
| IMAZALIL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| IMIDACLOPRID                        | 0.010 | ppm   | 1            | PASS      | ND     |   |       |       |              |           |        |
| KRESOXIM-METHYL                     | 0.010 | ppm   | 1            | PASS      | ND     |   |       |       |              |           |        |
| MALATHION                           | 0.010 | ppm   | 2            | PASS      | ND     |   |       |       |              |           |        |
| METALAXYL                           | 0.010 | ppm   | 3            | PASS      | ND     |   |       |       |              |           |        |
| METHIACARB                          | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| METHOMYL                            | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| MEVINPHOS                           | 0.010 | ppm   | 0.1          | PASS      | ND     |   |       |       |              |           |        |
| MYCLOBUTANIL                        | 0.010 | ppm   | 3            | PASS      | ND     |   |       |       |              |           |        |
| NALED                               | 0.010 | ppm   | 0.5          | PASS      | ND     |   |       |       |              |           |        |

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
Lab Director

State License # CMTL-0002  
ISO 17025 Accreditation # ISO/IEC  
17025:2017 Accreditation PJLA-  
Testing 97164



Signature  
02/18/25



# Certificate of Analysis

**PASSED**


HIGH ROLLER PRIVATE LABEL LLC

 4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US  
 Telephone: (954) 505-4481  
 Email: admin@highrollerllc.com

 Sample : DA50213010-008  
 Harvest/Lot ID: EPR1425  
 Batch# : EPR1425  
 Sampled : 02/13/25  
 Ordered : 02/13/25

 Sample Size Received : 150 gram  
 Total Amount : 150 gram  
 Completed : 02/18/25 Expires: 02/18/26  
 Sample Method : SOP Client Method

Page 3 of 5



## Residual Solvents

PASSED

| Solvents             | LOD     | Units | Action Level | Pass/Fail | Result    |
|----------------------|---------|-------|--------------|-----------|-----------|
| 1,1-DICHLOROETHENE   | 0.800   | ppm   | 8            | PASS      | ND        |
| 1,2-DICHLOROETHANE   | 0.200   | ppm   | 2            | PASS      | ND        |
| 2-PROPANOL           | 50.000  | ppm   | 500          | PASS      | ND        |
| ACETONE              | 75.000  | ppm   | 750          | PASS      | ND        |
| ACETONITRILE         | 6.000   | ppm   | 60           | PASS      | ND        |
| BENZENE              | 0.100   | ppm   | 1            | PASS      | ND        |
| BUTANES (N-BUTANE)   | 500.000 | ppm   | 5000         | PASS      | ND        |
| CHLOROFORM           | 0.200   | ppm   | 2            | PASS      | ND        |
| DICHLOROMETHANE      | 12.500  | ppm   | 125          | PASS      | ND        |
| ETHANOL              | 500.000 | ppm   |              | TESTED    | <2500.000 |
| ETHYL ACETATE        | 40.000  | ppm   | 400          | PASS      | ND        |
| ETHYL ETHER          | 50.000  | ppm   | 500          | PASS      | ND        |
| ETHYLENE OXIDE       | 0.500   | ppm   | 5            | PASS      | ND        |
| HEPTANE              | 500.000 | ppm   | 5000         | PASS      | ND        |
| METHANOL             | 25.000  | ppm   | 250          | PASS      | ND        |
| N-HEXANE             | 25.000  | ppm   | 250          | PASS      | ND        |
| PENTANES (N-PENTANE) | 75.000  | ppm   | 750          | PASS      | ND        |
| PROPANE              | 500.000 | ppm   | 5000         | PASS      | ND        |
| TOLUENE              | 15.000  | ppm   | 150          | PASS      | ND        |
| TOTAL XYLENES        | 15.000  | ppm   | 150          | PASS      | ND        |
| TRICHLOROETHYLENE    | 2.500   | ppm   | 25           | PASS      | ND        |

|                                |                    |                                       |                      |
|--------------------------------|--------------------|---------------------------------------|----------------------|
| Analyzed by:<br>850, 585, 1440 | Weight:<br>0.0241g | Extraction date:<br>02/17/25 13:50:50 | Extracted by:<br>850 |
|--------------------------------|--------------------|---------------------------------------|----------------------|

 Analysis Method : SOP.T.40.041.FL  
 Analytical Batch : DA08335450L  
 Instrument Used : DA-GCMS-002  
 Analyzed Date : 02/17/25 15:04:25

Batch Date : 02/14/25 14:19:14

 Dilution : 1  
 Reagent : 030420.09  
 Consumables : 430596; 319008  
 Pipette : DA-309 25 uL Syringe 35028

Residual solvents analysis is performed utilizing Gas Chromatography Mass Spectrometry in accordance with with F.S. Rule 64ER20-39.



# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
HOLLYWOOD, FL, 33020, US  
Telephone: (954) 505-4481  
Email: admin@highrollerllc.com

Sample : DA50213010-008  
Harvest/Lot ID: EPR1425

Batch# : EPR1425  
Sampled : 02/13/25  
Ordered : 02/13/25

Sample Size Received : 150 gram  
Total Amount : 150 gram  
Completed : 02/18/25 Expires: 02/18/26  
Sample Method : SOP Client Method

Page 4 of 5


|   |                   |               |
|---|-------------------|---------------|
|  | <b>Microbial</b>  | <b>PASSED</b> |
|  | <b>Mycotoxins</b> | <b>PASSED</b> |

| Analyte  | LOD                      | Units  | Result                            | Pass / Fail | Action Level |
|--|--------------------------|--|-----------------------------------|-------------|--------------|
| <b>SALMONELLA SPECIFIC GENE</b>  |                          |  | Not Present                       | PASS        |              |
| <b>ECOLI SHIGELLA</b>  |                          |  | Not Present                       | PASS        |              |
| <b>ASPERGILLUS FLAVUS</b>  |                          |  | Not Present                       | PASS        |              |
| <b>ASPERGILLUS FUMIGATUS</b>   |                          |  | Not Present                       | PASS        |              |
| <b>ASPERGILLUS TERREUS</b>   |                          |  | Not Present                       | PASS        |              |
| <b>ASPERGILLUS NIGER</b>   |                          |  | Not Present                       | PASS        |              |
| <b>TOTAL YEAST AND MOLD</b>  | 10                       | CFU/g  | <10                               | PASS        | 100000       |
| <b>Analyzed by:</b><br>3390, 4520, 585, 1440   | <b>Weight:</b><br>0.887g | <b>Extraction date:</b><br>02/14/25 10:55:23 | <b>Extracted by:</b><br>4520,3390 |             |              |
| <b>Analysis Method :</b> SOP.T.40.056C, SOP.T.40.058.FL, SOP.T.40.209.FL<br><b>Analytical Batch :</b> DA083302MIC<br><b>Instrument Used :</b> PathogenDx Scanner DA-111,Applied Biosystems 2720 Thermocycler DA-010,Fisher Scientific Isotemp Heat Block (95°C) DA-049,DA-402 Thermo Scientific Heat Block (55 C)<br><b>Analyzed Date :</b> 02/17/25 09:35:07<br><b>Dilution :</b> 10<br><b>Reagent :</b> 012425.08; 012425.09; 011525.R47; 080724.09<br><b>Consumables :</b> 7580001027<br><b>Pipette :</b> N/A |                          |  |                                   |             |              |

| Analyte   | LOD                       | Units  | Result                       | Pass / Fail | Action Level |
|---|---------------------------|--|------------------------------|-------------|--------------|
| <b>AFLATOXIN B2</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN B1</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>OCHRATOXIN A</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN G1</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN G2</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>Analyzed by:</b><br>3621, 585, 1440  | <b>Weight:</b><br>0.9747g | <b>Extraction date:</b><br>02/14/25 12:50:55 | <b>Extracted by:</b><br>3621 |             |              |
| <b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL<br><b>Analytical Batch :</b> DA083342MYC<br><b>Instrument Used :</b> N/A<br><b>Analyzed Date :</b> 02/17/25 08:50:12<br><b>Dilution :</b> 250<br><b>Reagent :</b> 021125.R01; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01<br><b>Consumables :</b> 221021DD<br><b>Pipette :</b> DA-093; DA-094; DA-219 |                           |  |                              |             |              |

Total yeast and mold testing is performed utilizing MPN and traditional culture based techniques in accordance with F.S. Rule 64ER20-39.

| Analyte   | LOD                       | Units  | Result                       | Pass / Fail | Action Level |
|---|---------------------------|--|------------------------------|-------------|--------------|
| <b>AFLATOXIN B2</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN B1</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>OCHRATOXIN A</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN G1</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN G2</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>Analyzed by:</b><br>3621, 585, 1440  | <b>Weight:</b><br>0.9747g | <b>Extraction date:</b><br>02/14/25 12:50:55 | <b>Extracted by:</b><br>3621 |             |              |
| <b>Analysis Method :</b> SOP.T.30.102.FL, SOP.T.40.102.FL<br><b>Analytical Batch :</b> DA083342MYC<br><b>Instrument Used :</b> N/A<br><b>Analyzed Date :</b> 02/17/25 08:50:12<br><b>Dilution :</b> 250<br><b>Reagent :</b> 021125.R01; 021225.R28; 021325.R14; 021125.R02; 012925.R01; 021225.R02; 081023.01<br><b>Consumables :</b> 221021DD<br><b>Pipette :</b> DA-093; DA-094; DA-219 |                           |  |                              |             |              |

|   |                     |               |
|---|---------------------|---------------|
|  | <b>Heavy Metals</b> | <b>PASSED</b> |
|---|---------------------|---------------|

| Metal                                  | LOD                       | Units  | Result                       | Pass / Fail | Action Level |
|--|---------------------------|--|------------------------------|-------------|--------------|
| <b>TOTAL CONTAMINANT LOAD METALS</b>   | 0.080                     | ppm  | ND                           | PASS        | 5            |
| <b>ARSENIC</b>                         | 0.020                     | ppm  | ND                           | PASS        | 1.5          |
| <b>CADMIUM</b>                         | 0.020                     | ppm  | ND                           | PASS        | 0.5          |
| <b>MERCURIUM</b>                       | 0.020                     | ppm  | ND                           | PASS        | 3            |
| <b>LEAD</b>                            | 0.020                     | ppm  | ND                           | PASS        | 0.5          |
| <b>Analyzed by:</b><br>1022, 585, 1440 | <b>Weight:</b><br>0.2417g | <b>Extraction date:</b><br>02/14/25 11:17:41 | <b>Extracted by:</b><br>4056 |             |              |

| Analyte   | LOD                       | Units  | Result                       | Pass / Fail | Action Level |
|---|---------------------------|--|------------------------------|-------------|--------------|
| <b>AFLATOXIN B2</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN B1</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>OCHRATOXIN A</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN G1</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>AFLATOXIN G2</b>   | 0.002                     | ppm  | ND                           | PASS        | 0.02         |
| <b>Analyzed by:</b><br>1022, 585, 1440  | <b>Weight:</b><br>0.2417g | <b>Extraction date:</b><br>02/14/25 11:17:41 | <b>Extracted by:</b><br>4056 |             |              |
| <b>Analysis Method :</b> SOP.T.30.082.FL, SOP.T.40.082.FL<br><b>Analytical Batch :</b> DA083321HEA<br><b>Instrument Used :</b> DA-ICPMS-004<br><b>Analyzed Date :</b> 02/17/25 08:39:05<br><b>Dilution :</b> 50<br><b>Reagent :</b> 012925.R32; 013025.R04; 021025.R03; 021425.R04; 021025.R01; 021025.R02; 120324.07; 021225.R30<br><b>Consumables :</b> 040724CH01; J609879-0193; 179436<br><b>Pipette :</b> DA-061; DA-191; DA-216 |                           |  |                              |             |              |

Heavy Metals analysis is performed using Inductively Coupled Plasma Mass Spectrometry in accordance with F.S. Rule 64ER20-39.



4131 SW 47th AVENUE SUITE 1408  
 DAVIE, FL, 33314, US  
 (954) 368-7664

Kaycha Labs



PEACH RINGS, 25mgCBD per 7.5g Gummy  
 PEACH RINGS, 25mgCBD per 7.5g Gummy  
 Matrix : Edible  
 Type: Gummy

# Certificate of Analysis

**PASSED**

HIGH ROLLER PRIVATE LABEL LLC

4095N 28TH WAY  
 HOLLYWOOD, FL, 33020, US  
 Telephone: (954) 505-4481  
 Email: admin@highrollerllc.com

Sample : DA50213010-008  
 Harvest/Lot ID: EPR1425  
 Batch# : EPR1425  
 Sampled : 02/13/25  
 Ordered : 02/13/25

Sample Size Received : 150 gram  
 Total Amount : 150 gram  
 Completed : 02/18/25 Expires: 02/18/26  
 Sample Method : SOP Client Method

Page 5 of 5

|  |                               |               |
|--|-------------------------------|---------------|
|  | <b>Filth/Foreign Material</b> | <b>PASSED</b> |
|--|-------------------------------|---------------|


| Analyte   | LOD           | Units                                 | Result                         | P/F  | Action Level |
|---|---------------|---------------------------------------|--------------------------------|------|--------------|
| Filth and Foreign Material                          | 0.100         | %                                     | ND                             | PASS | 1            |
| Analyzed by:<br>585, 1440                           | Weight:<br>1g | Extraction date:<br>02/14/25 10:32:23 | Extracted by:<br>1879          |      |              |
| Analysis Method : SOP.T.40.090                      |               |                                       |                                |      |              |
| Analytical Batch : DA083345FIL                      |               |                                       |                                |      |              |
| Instrument Used : Filth/Foreign Material Microscope |               |                                       | Batch Date : 02/14/25 10:26:23 |      |              |
| Analyzed Date : 02/15/25 17:39:09                   |               |                                       |                                |      |              |
| Dilution : N/A                                      |               |                                       |                                |      |              |
| Reagent : N/A                                       |               |                                       |                                |      |              |
| Consumables : N/A                                   |               |                                       |                                |      |              |
| Pipette : N/A                                       |               |                                       |                                |      |              |

Filth and foreign material inspection is performed by visual inspection utilizing naked eye and microscope technologies in accordance with F.S. Rule 64ER20-39.

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on F.S. Rule 64ER20-39 and F.S. Rule 5K-4. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

**Vivian Celestino**  
 Lab Director

State License # CMTL-0002  
 ISO 17025 Accreditation # ISO/IEC  
 17025:2017 Accreditation PJLA-  
 Testing 97164



Signature  
 02/18/25